

**المواصفات الفنية الخاصة بالمناقصة العامة**

**رقم المناقصة : (٢٠١١/١٨)**

**الخاصة بشراء وتوريد عدة صيانة (منشأ كهربائي -**

**دريل - بانات بكس - مقص كابلات - عجلة كهربائية -**

**نفاخ غبار)**

**المؤسسة العامة للاتصالات السلكية واللاسلكية**

**الإدارة العامة للمشتريات والمخازن**

**إدارة المشتريات - قسم العقود والمناقصات**

Specification of: Jig Saw منشار كهربائي



Handwritten signatures and a stamp in the top right corner of the page.

<b>Rated input</b>	850 W
<b>Rated voltage</b>	230 V
<b>Rated current</b>	8.0 A
<b>Variable speed switch</b>	Yes
<b>Protection class</b>	II
<b>A-weighted sound power level acc. EN 60745</b>	100 dB (A)
<b>A-weighted emission sound pressure level acc. EN 60745</b>	87 dB (A)
<b>Orbital action</b>	0-1-2-3
<b>Approvals</b>	CE, CSA
<b>AVR - Active Vibration Reduction</b>	Yes
<b>Outside diameter of extraction connector</b>	30 mm
<b>Stroke length</b>	28 mm
<b>Stroke rate under load - range</b>	900 - 3000 rpm
<b>Max. bevel angle</b>	45 °
<b>Max. cutting depth for Aluminum</b>	25 mm
<b>Max. cutting depth for Mild Steel</b>	10 mm
<b>Max. cutting depth for Stainless Steel</b>	3 mm
<b>Max. cutting depth for Wood</b>	150 mm
<b>Lifetime Service No Cost Period</b>	2 years


Handwritten signature and stamp in the top right corner.

**Specification of: Drill (دریل)**

<b>Rated input</b>	650W min 850 W max
<b>Single impact energy</b>	3.2 J
<b>Full hammering frequency</b>	4080 impacts/minute
<b>Chuck type</b>	TE-T
<b>Maximum drilling diameter range for hammer drill bits – rang</b>	5 mm - 28 mm
<b>Drilling Performance</b>	72.35 cm <sup>3</sup> /min @ Ø 16 mm
<b>Number of gears</b>	2
<b>Rotation speed gear 1 under no load</b>	750 rpm
<b>Rotation speed gear 2 under no load</b>	1100 rpm

**Specification of: Lock-on ratchet, sockets and accessories** **بانات بوکس**

<b>Socket Drive</b>	3/8"
<b>Metric or Imperial</b>	Metric
<b>Socket Type</b>	Socket Set
<b>storage case</b>	Plastic
<b>Set contains:-</b>	Lock-on ratchet, 6 point sockets: 8-21mm, universal joint, 125 & 250mm locking extensions, T handle



**Specification of: Cable cutter مقص كابلات**

- High Strength forged blades for ultimate durability
- Precision-ground jaws make clean cuts with minimal cable distortion
- Replaceable blades
- For copper and aluminum steel
- Fiberglass Handle

Specification of: Power extension عجلة كهرباء

Handwritten signature and stamp in Arabic.

- 50m length
- 16A (AC)
- 4 sockets

Handwritten signature in Arabic.

بالإضافة الى نفاخ عبا، قوة 650w

جدول كميات المناقصة العامة رقم (٢٠١١/١٨)

الخاصة بشراء وتوريد عدة صيانة

الكمية	الصف	م
١٥	منشار كهربائي	(١)
٦	دريل	(٢)
٦	بانان بكس	(٣)
٦	مقص كابلات	(٤)
١٢	عجلة كهربائية	(٥)
١٥	نفاخ غبار	(٦)